

AD \_\_\_\_\_

Award Number: DAMD17-01-1-0091

TITLE: Bone Mineral Density, Sex Steriod Genes, Race and  
Prostate Cancer Risk

PRINCIPAL INVESTIGATOR: Francesmary Modugno, Ph.D.

CONTRACTING ORGANIZATION: University of Pittsburgh  
Pittsburgh, Pennsylvania 15260

REPORT DATE: September 2003

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command  
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;  
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20040112 137

**REPORT DOCUMENTATION PAGE**Form Approved  
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

|  |   |  |  |
|--|---|--|--|
| <b>1. AGENCY USE ONLY</b><br>(Leave blank)   |   | <b>2. REPORT DATE</b><br>September 2003                        | <b>3. REPORT TYPE AND DATES COVERED</b><br>Annual (1 Sep 2002 - 31 Aug 2003) |
| <b>4. TITLE AND SUBTITLE</b><br>Bone Mineral Density, Sex Steroid Genes, Race and Prostate Cancer Risk   |   |  | <b>5. FUNDING NUMBERS</b><br>DAMD17-01-1-0091                                |
| <b>6. AUTHOR(S)</b><br>Francesmary Modugno, Ph.D., MPH   |   |  |  |
| <b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b><br>University of Pittsburgh<br>Pittsburgh, Pennsylvania 15260<br><br>E-Mail: fm@cs.cmu.edu   |   |  | <b>8. PERFORMING ORGANIZATION REPORT NUMBER</b>                              |
| <b>9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b><br>U.S. Army Medical Research and Materiel Command<br>Fort Detrick, Maryland 21702-5012   |   |  | <b>10. SPONSORING / MONITORING AGENCY REPORT NUMBER</b>                      |
| <b>11. SUPPLEMENTARY NOTES</b>   |   |  |  |
| <b>12a. DISTRIBUTION / AVAILABILITY STATEMENT</b><br>Approved for Public Release; Distribution Unlimited   |   |  | <b>12b. DISTRIBUTION CODE</b>  |
| <b>13. ABSTRACT (Maximum 200 Words)</b><br>The goal of this project is to determine whether bone mineral density (assumed to be an integrated marker of sex steroid hormone exposure) is a risk factor for prostate cancer; and (2) to identify prostate cancer susceptibility alleles among genes in the sex steroid pathway. To address these aims, we are undertaking a case-control study of African American and Caucasian men in Pittsburgh, PA and Baltimore, MD. Cases are 100-150 African American and 150 Caucasian men with histologically-confirmed prostate cancer. Controls are age and race frequency-matched men who have a PSA <3.0 ng/mL. Hip, spine, and total body BMD is measured by Dual energy X-ray Absorptiometry (DXA). Blood is used to obtain DNA. Polymerase Chain Reaction (PCR) techniques will be used to determine allelic distributions of genotypes for sex steroid metabolism, biosynthesis and action genes. Risk factor data are obtained by an in-person interview. Pathology information will be collected using standardized medical abstraction and all pathology will be confirmed by a central pathologist. Upon completion recruitment and data collection, we will evaluate the role of BMD and candidate genotypes in prostate cancer risk by race. We will further examine the interaction between BMD and genotypes to evaluate the hormonal environment - gene interaction and its effect on prostate cancer risk. |   |  |  |
| <b>14. SUBJECT TERMS</b><br>Prevention, epidemiology, genetic epidemiology, etiology, gene-gene and gene-environment interaction, genetic risk, one mineral density, sex steroid hormone   |   |  | <b>15. NUMBER OF PAGES</b><br>11   |
|  |   |  | <b>16. PRICE CODE</b>  |
| <b>17. SECURITY CLASSIFICATION OF REPORT</b><br>Unclassified   | <b>18. SECURITY CLASSIFICATION OF THIS PAGE</b><br>Unclassified | <b>19. SECURITY CLASSIFICATION OF ABSTRACT</b><br>Unclassified | <b>20. LIMITATION OF ABSTRACT</b><br>Unlimited                               |

## Table of Contents

|                                   |      |
|-----------------------------------|------|
| Cover.....                        | 1    |
| SF 298.....                       | 2    |
| Table of Contents.....            | 3    |
| Introduction.....                 | 4    |
| Body.....                         | 4    |
| Key Research Accomplishments..... | 8    |
| Reportable Outcomes.....          | 8    |
| Conclusions.....                  | 8    |
| References.....                   | 8    |
| Appendices.....                   | none |

**INTRODUCTION:**

The goal of this project is to determine whether bone mineral density (assumed to be an integrated marker of sex steroid hormone exposure) is a risk factor for prostate cancer; and (2) to identify prostate cancer susceptibility alleles among genes in the sex steroid pathway. To address these aims, we are undertaking a case-control study of African American and Caucasian men in Pittsburgh, PA and Baltimore, MD. Cases are 100-150 African American and 150 Caucasian men with histologically-confirmed prostate cancer. Controls are age and race frequency-matched men who have a PSA < 3.0 ng/mL. Hip, spine and total body BMD is measured by Dual-energy X-ray Absorptiometry (DXA). Blood is used to obtain DNA. Polymerase Chain Reaction (PCR) techniques will be used to determine allelic distributions of genotypes for sex steroid metabolism, biosynthesis and action genes. Risk factor data are obtained by an in-person interview. Pathology information will be collected using standardized medical abstraction and all pathology will be confirmed by a central pathologist. Upon completion recruitment and data collection, we will evaluate the role of BMD and candidate genotypes in prostate cancer risk by race. We will further examine the interaction between BMD and genotypes to evaluate the hormonal environment – gene interaction and its effect on prostate cancer risk.

**BODY:**

In this section, we describe our accomplishments according to the Work Plan originally approved:

*Task 3 Recruiting of Subjects and Obtaining of Data, Months 6-30*

- **see tables 1-3 for summaries to date. In short, we have recruited 116 (77%) Caucasian cases, 69 (46%) Caucasian controls, 17 (11%) AA cases and 7 (4.7%) AA controls.**

*Task 4 Performance of Laboratory Assays, Months 12-31:*

- a. Isolate DNA from blood samples
  - **DNA was isolated on 88 case subjects thus far**
- b. Assay samples (600) to detect sex steroid related genetic polymorphisms and record results on study forms
  - **The following genotyping assays were performed:**
    - a. AIB1/SRC3 - steroid receptor coactivator 3; CAG (glutamine) repeat polymorphism
    - b. CYP11A - cholesterol side chain cleavage enzyme; pentanucleotide repeat [(TTTTA)n] in the promoter
    - c. SHBG - pentanucleotide repeat [(TAAAA)n] located in an Alu sequence at the 5' boundary of the promoter
    - d. CYP19 - aromatase; intronic tetranucleotide repeat [(TTTA)n]
    - e. HSD11B1 - 11-beta hydroxysteroid dehydrogenase; a CA repeat
- c. Retest a subset of specimens (60) to validate the laboratory results

*Task 5 Data Entry, Months 12-32:*

- a. Enter, verify and clean interview, anthropometric, physical activity, pathology, DXA, and laboratory assay data via the PoP computerized data entry system
  - **As reported last year, we implemented the questionnaire in TeleForm, so that data entry is ongoing. All data is entered when a subject is interviewed.**

*Task 6 Interim Analyses of Data, Months 18-30 :*

- a. Perform interim statistical analyses of data periodically  
- See tables 1-3 for data

**Overall Study Progress:**

To date, we are making excellent progress in recruiting Caucasians in Pittsburgh. We are ahead of recruitment schedule. Ms. Overberger, the study coordinator, resigned in July. We have hired a new coordinator, Ms. Gail Engleka. She will begin on October 1, 2003. Despite this delay, we are almost completed with case recruitment in Pittsburgh and will finish with control recruitment by the end of the study period.

**Pittsburgh Progress:**

We obtained IRB approval from the University of Pittsburgh to commence recruitment of subjects in Pittsburgh. Recruitment began in February 2002. Cases are recruited from all newly diagnosed cases of prostate cancer seen in the practice of Dr. Joel Nelson. Controls are men who have participated in a population-based prostate cancer screening trial and are frequency matched to cases by age and race. The summary of recruitment From January 2003 through August 2003 is in Table 1. We recruit approximately 4 men per week in Pittsburgh (2-3 cases, 1-2 controls), which is ahead of the anticipated recruitment schedule. Because interview data is scanned in weekly, we are able to provide interim data analyses. Table 2-3 summarizes the baseline data on all recruited subjects through August 2003.

**Baltimore Progress:**

We obtained IRB approval from the University of Maryland in August, 2002. This was later than anticipated and has put our recruitment behind. Moreover, the DOD Human Subjects Committee has not yet approved adding Baltimore as a site for this study and we are therefore unable to commence recruitment of African Americans in Baltimore. Our last application for approval from the DOD Human Subjects Committee was August 7, 2003.

Nonetheless, in September 2002, Drs. Modugno and Weissfeld visited the Baltimore site to meet with the Baltimore PIs (Marc Hochberg, MD and Richard Alexander, MD) and study team. A part-time Baltimore study coordinator was hired (Ms. Jennifer DeSanto) through the University of Maryland Center for Clinical Trials. Ms. DeSanto will work with Dr. Alexander's staff in the urology clinic to recruit eligible African American cases. Ms. DeSanto will work two days per week (Thursday and Friday) when the urology clinic at the Baltimore VA takes place. Ms. DeSanto is paid only for the days she works and since recruitment has not begun, we have no costs associated with Ms. DeSanto to date. Ms. DeSanto received all the study instruments and instructions. During the first 2-3 weeks of recruitment, Dr. Modugno and Ms. Engleka will go to Baltimore to provide on-site training of Ms. DeSanto (consenting and interviewing subjects).

Because of the late start of recruitment in Baltimore, Dr. Modugno has authorized that funds from Y1 and Y2 of this grant that were to be used to support recruitment in Baltimore be set aside. This will ensure the availability of funds to continue recruitment in Baltimore after the 3 year study period ends (if need be). These funds will cover the cost of the study coordinator in Baltimore and all the associated study costs (DXAs, etc).

Once we begin recruitment in Baltimore, cases will be recruited from the VA urology clinic during their weekly clinic schedule (Thursdays and Friday mornings). Controls will be recruited from Dr. Hochberg's ongoing study of BMD in African American men. Controls will be frequency matched by age to cases.

### **Addition of Alabama**

To increase minority recruitment in a timely fashion, we have initiated a subcontract with the University of Alabama, Charlotte Mayo, PI. (Attached). We are awaiting IRB approval for the Alabama site. Once approval is obtained, we will begin recruitment at that site. We will not make any site visits until IRB approval is obtained in order to conserve funds.

### **Exclusion Criteria**

The following are the criteria used to exclude men from participation in this study.

- <40 or >80 years of age
- Inability to consent to medical procedures.
- History of hyper or hypothyroidism, hyperparathyroidism, renal disease, or bone disorders
- History of hypogonadism
- History of Bone Disease/problems – osteoporosis, Paget's disease, osteomalacia, osteogenesis imperfecta,
- Chronic (>3 months) glucocorticoid therapy
- Use of testosterone supplementation (>3 months)
- Use of bisphosphonate supplementation (>3 months)
- Bilateral hip replacement
- Kidney or liver transplant recipient
- Previous diagnosis of cancer, except basal/squamous cell skin cancer
- trouble absorbing vit D., vit D deficiency, calcium abnormality, brittle bones
- 2 or more non-traumatic fractures over a lifetime or 1 or more non-traumatic fracture in the last year.
- For prostate cancer cases, evidence of bone metastases
- For controls, PSA levels above 3 ng/mL within the last 3 months

### **Data Collection**

The following data are collected on all participants:

- demographics, lifestyle factors and medical history via a ½ hours in-person interview
- hip, spine and total BMD via a DXA scan. Results are abstracted onto a study form
- 
- 35 ml of blood. This is used to isolate DNA for the current study. In addition, the following specimens are banked:
  - o serum (8x1mL)
  - o plasma (8x1mL)
  - o buffy coat
  - o clot
- height, weight and hip circumference (measured by study personnel during study visit). Results are recorded on a study form.

### **Laboratory Assays**

All genotyping assays are done in the laboratory of Dr. Robert Ferrell. High molecular weight DNA will be extracted from peripheral blood leukocytes by the salting-out procedure. Polymerase Chain Reaction (PCR)

and Restriction Fragment Length Polymorphism(RFLP) techniques will be used to identify polymorphisms in the sex steroid metabolism pathway. Restriction fragment length polymorphisms are genotyped by amplification of the variable site using unique sequence flanking primers, digestion with an appropriate restriction endonuclease, resolution of the fragments on 2% agarose gels and visualization under UV light after ethidium bromide staining. Single nucleotide polymorphisms that do not alter a restriction site are assayed by a modified allele specific oligonucleotide ligation assay. Length polymorphisms are genotyped by amplification using unique sequence flanking primers, one of which is labeled with a fluorescent dye (FAM, HEX or TET; Research genetics, Huntsville, AL). The products are resolved on the ABI 377 automated DNA sequencer (Applied Biosystems, Foster City, CA) and the resulting gel images are analyzed using the GENESCAN software package. These protocols are standard in Dr. Ferrell's lab. Genotypes are assigned by two independent readers by directly comparing test samples to sequence-verified control samples run on the same gel. Conflicts are resolved by repeat genotyping.

We have tested the laboratory assays on a sample of specimens early in our recruitment. The assays appear to be working.

### **BMD Measurements**

Hip, spine and total body BMD will be measured by Dual-energy X-ray Absorptiometry (DXA) using a Hologic QDR-4500A (Hologic, Inc., Waltham, MA) in the Laboratory of Dr. Susan Greenspan. Quality control is assessed by daily quality control scans with the phantom provided by the manufacturer. We will also have a subset of scans (10%) reanalyzed by Synarc, Inc. (Bedford, MA), which provides quality control for large scale studies, including several of Dr. Greenspan's studies. All DXA results will be recorded on a standard study form for data entry.

### **Problems encountered and measures taken:**

Minority recruitment has been very difficult. Because of the new HIPAA regulations, we are unable to identify minority cases as we originally intended in Pittsburgh; thus, our minority recruitment is very low. We are therefore relying on the minority recruitment sites for minority recruitment (Baltimore and Alabama).

The major problem we have encountered is obtaining IRB approval for this study at Baltimore and the DOD. We have already received IRB approval in Baltimore. We are working with the DOD to receive approval to add Baltimore to the study so that we can begin recruitment at that site.

Because of the substantial delay in Baltimore, we added another minority site: University of Alabama at Birmingham, Charlotte Mayo, PI. This will enable us to recruit minorities concurrently at two sites and hopefully enable us to reach our goal within the study timeline. To further ensure this goal is reached, we have requested a 1 year no-cost extension for the project. We have further had funds for the minority portion of the project (approximately \$150,000), set aside.

**KEY RESEARCH ACCOMPLISHMENTS:**

The study is well underway with all the components in place. We foresee successfully completing recruitment of Caucasians in Pittsburgh well within the study period. We anticipate successfully completing African American recruitment, although we anticipate that this will require additional time due to the delay in recruitment in Baltimore because of the delay in receiving DOD IRB approval to add Baltimore as a site for this study.

**REPORTABLE OUTCOMES:**

None to date

**CONCLUSIONS:**

We are pleased with our progress and foresee the successful completion of this project. We are working with the DOD to receive IRB approval to begin recruitment in Baltimore. We are working with the University of Alabama to receive IRB approval at that site and to then receive DOD approval.

**REFERENCES:**

None

**APPENDICES:**

None



Table 1 CAPS Recruitment Summary for Cases 2003:

|  | Jan<br>2003 | Febr<br>2003 | March<br>2003 | April<br>2003 | May<br>2003 | June<br>2003 | July<br>2003 | August<br>2003 | YTD<br>2003 |
|--|-------------|--------------|---------------|---------------|-------------|--------------|--------------|----------------|-------------|
| Summary of Enrollment:                     |             |              |               |               |             |              |              |                |             |
| Total Number of Eligible Men:              | 14          | 8            | 12            | 8             | 12          | 14           | 26           | 12             | 106         |
| Number of Men Approached:                  | 10          | 8            | 12            | 8             | 7           | 12           | 20           | 10             | 87          |
| ** Eligible Men Not Approached:            | 4           |              |               |               | 5           | 2            | 4            | 2              | 17          |
| Physician Refused:                         |             |              |               |               |             |              |              |                | 0           |
| Recruiter Missed:                          |             |              |               |               |             |              |              |                | 0           |
| Exclusionary Medical Condition:            | 1           |              |               |               | 4           | 1            | 4            |                | 10          |
| Mentally Incompetent:                      |             |              |               |               |             |              |              |                | 0           |
| Outside Age Range:                         |             |              |               |               |             |              |              |                | 0           |
| Other:                                     | 3           |              |               |               | 1           | 1            | 2            | 2              | 9           |
| Number of Men Agreeing to be Contacted:    | 9           | 8            | 12            | 7             | 7           | 10           | 17           | 9              | 79          |
| Number of Men Screened:                    | 9           | 8            | 12            | 7             | 7           | 10           | 17           | 9              | 79          |
| Number of Men Enrolled (consented):        | 5           | 4            | 7             | 5             | 2           | 5            | 10           | 5              | 43          |
| Number of Men Scheduled for Interview:     | 0           | 0            | 0             | 1             | 0           | 1            | 3            | 4              | 9           |
| Number of Men Waiting for Appt:            |             |              |               |               |             |              |              |                | 0           |
| Number of Men Not Enrolled***:             | 4           | 4            | 5             | 1             | 5           | 4            | 4            |                | 27          |
| Number of Men Needing to be Screened:      |             |              |               |               |             |              |              |                | 0           |
| Asked to be re-contacted:                  |             |              |               |               |             |              |              |                | 0           |
| Not yet contacted:                         |             |              |               |               |             |              |              |                | 0           |
| Failed contact:                            |             |              |               |               |             |              |              |                | 0           |
| *** Reason Screened But Not Enrolled:      |             |              |               |               |             |              |              |                | 0           |
| Declined participation:                    | 4           | 3            | 3             |               | 2           | 4            | 4            |                | 20          |
| History of Cancer:                         |             |              |               |               |             |              |              |                | 0           |
| History of Exclusionary Medical Condition: |             |              |               |               |             |              |              |                | 0           |
| Unable to Give Blood:                      |             |              |               |               |             |              |              |                | 0           |
| Use of Exclusionary medication:            |             |              |               |               |             |              |              |                | 0           |
| Other:                                     |             | 1            | 2             | 1             | 3           |              |              |                | 7           |

**Table 2: Age and Race Distribution of Cases and Controls Recruited in Pittsburgh from 2/1/02 to 8/31/03**

| Age Range | Caucasian |          | African-American |          |
|-----------|-----------|----------|------------------|----------|
|           | Cases     | Controls | Cases            | Controls |
| 40-44     | 2         |          |                  | 4        |
| 45-49     | 2         |          |                  | 1        |
| 50-54     | 18        |          | 3                | 1        |
| 55-59     | 33        | 38       | 5                | 1        |
| 60-64     | 30        | 21       | 4                |          |
| 65-69     | 20        | 8        | 3                |          |
| 70-74     | 10        | 2        | 2                |          |
| 75-79     | 1         |          |                  |          |
| Total     | 116       | 69       | 17               | 7        |

**Table 3: Summary Demographic Statistics on Cases and Controls for Pittsburgh from 2/1/02 to 8/31/03**

|                    | Cases<br>n=133 | UPMC<br>Cases<br>n=130 | Caucasian<br>Cases<br>n=116 | AA<br>Cases<br>n=17 | Controls<br>n=76 | UPMC<br>Controls<br>n=68 | Caucasian<br>Controls<br>n=69 | AA<br>Controls<br>n=7 |
|--------------------|----------------|------------------------|-----------------------------|---------------------|------------------|--------------------------|-------------------------------|-----------------------|
| Age (mean yrs)     | 60.11          | 60.09                  | 60.01                       | 60.82               | 59.17            | 60.54                    | 60.51                         | 46                    |
| Race               |                |                        |                             |                     |                  |                          |                               |                       |
| Caucasian          | 116            | 116                    | 116                         |                     | 69               | 68                       | 69                            |                       |
| African-American   | 17             | 14                     |                             | 17                  | 7                |                          |                               | 7                     |
| Recruitment Site   |                |                        |                             |                     |                  |                          |                               |                       |
| UPMC               | 130            |                        | 116                         | 14                  | 68               |                          | 68                            |                       |
| VA                 | 3              |                        |                             | 3                   | 8                |                          | 1                             | 7                     |
| Education          |                |                        |                             |                     |                  |                          |                               |                       |
| < 8 yrs            |                |                        |                             |                     | 1                | 1                        | 1                             |                       |
| 8 to 11 yrs        | 2              | 2                      | 2                           |                     |                  |                          |                               |                       |
| 12 yrs or HS       | 28             | 27                     | 21                          | 7                   | 14               | 12                       | 12                            | 2                     |
| post secondary     | 2              | 2                      | 1                           | 1                   | 12               | 10                       | 10                            | 2                     |
| some college       | 19             | 17                     | 12                          | 7                   | 14               | 11                       | 12                            | 2                     |
| college graduate   | 39             | 39                     | 37                          | 2                   | 16               | 15                       | 15                            | 1                     |
| postgraduate       | 43             | 43                     | 43                          |                     | 19               | 19                       | 19                            |                       |
| Marital Status     |                |                        |                             |                     |                  |                          |                               |                       |
| never married      | 4              | 4                      | 3                           | 1                   | 8                | 6                        | 6                             | 2                     |
| married            | 115            | 115                    | 103                         | 12                  | 59               | 54                       | 55                            | 4                     |
| widowed            | 3              | 3                      | 3                           | 3                   | 3                | 3                        | 3                             |                       |
| divorced           | 10             | 10                     | 7                           | 1                   | 6                | 5                        | 5                             | 1                     |
| separated          | 1              | 1                      |                             |                     |                  |                          |                               |                       |
| BMD (g/cm2) (mean) |                |                        |                             |                     |                  |                          |                               |                       |
| Hip                | 1.021          | 1.023                  | 1.02                        | 1.032               | 1.031            | 1.021                    | 1.023                         | 1.113                 |
| n                  | 131            | 128                    | 114                         | 17                  | 76               | 68                       | 69                            | 7                     |
| Spine Lateral      | 0.789          | 0.791                  | 0.784                       | 0.825               | 0.806            | 0.798                    | 0.798                         | 0.887                 |
| n                  | 125            | 122                    | 109                         | 16                  | 74               | 66                       | 67                            | 7                     |
| Spine PA           | 1.081          | 1.081                  | 1.081                       | 1.077               | 1.076            | 1.075                    | 1.075                         | 1.08                  |
| n                  | 129            | 126                    | 112                         | 17                  | 76               | 68                       | 69                            | 7                     |
| Total Body         | 1.17           | 1.172                  | 1.17                        | 1.17                | 1.17             | 1.168                    | 1.168                         | 1.183                 |
| n                  | 127            | 124                    | 110                         | 17                  | 76               | 68                       | 69                            | 7                     |
| Lean Body Mass     | 61.83          | 61.99                  | 61.95                       | 61.04               | 63.51            | 63.04                    | 63.13                         | 67.33                 |
| n                  | 130            | 127                    | 113                         | 17                  | 76               | 68                       | 69                            | 7                     |
| % Body Fat         | 25.62          | 25.56                  | 25.7                        | 25.08               | 26.97            | 26.71                    | 26.86                         | 28.06                 |
| n                  | 130            | 127                    | 113                         | 17                  | 76               | 68                       | 69                            | 7                     |